


The logo features a red square with a white letter 'P' inside, followed by the word 'Protectasleeve' in a bold, black, sans-serif font with a white outline. A trademark symbol (TM) is located at the top right of the word.

**Protectasleeve™**

**PROTECTIVE SLEEVING**




[www.boddingtons.us](http://www.boddingtons.us)

**BODDINGTONS**

The logo for Boddingtons, featuring the word 'BODDINGTONS' in a bold, sans-serif font above a stylized globe icon with a white swoosh underneath.

- Protectasleeve™ is ideal for the protection of machined parts during manufacture or transit preventing damage from contact with stillages or any sharp items.
- Flexible and elastic the sleeve will conform to a wide range of shapes offering simple and quick protection for valuable tools or any vulnerable surface.
- Prevents marking and scratching to bright steel bar, rodstock and highly finished items.
- Easily applied the sleeve can be reused or as part of final packing to offer protection in transit.



## Components

- The color coded sleeves cover a very wide range from 0.25" to over 15.8" diameter.
- Easy to choose the one offering the best protection for your products.
- Simply cut to length from the handy dispenser carton and slip it on.
- The mesh is unaffected by cutting oils and greases.
- Protects against physical damage but a suitable corrosion inhibitor should also be used for storage.



# PROTECTIVE SLEEVING


## Furniture

- Widely used to protect brightwork on furniture in transit, particularly office chairs and desks.
- Economical way to ensure the goods reach your customer in perfect condition.
- Quick and simple to apply and remove.
- Will protect door furniture, window handles, plumbing components and many similar items.
- Protects vulnerable bright metal or metallized plastic in shipping and installation.



## Ceramics & Kitchen Fittings

- Vulnerable products can easily be chipped or cracked in transport.
- Protectasleeve™ can be economically used around the vulnerable edges or to cover the entire surface.
- May be used under shrink-wrapping for local protection.
- Can be removed at point of sale to ensure there is no damage, requiring later expensive replacement on site.
- Can be left on during installation to prevent scratching or damage.





## Gas Cylinders

---

- Customers require cylinders to arrive in good condition particularly for electronic, medical or other special gases.
- The paintwork is vital to the protection of cylinders from corrosion as well as the identification of contents and is expensive to replace on a frequent basis.
- Bands of sleeving are a simple and economical way to ensure the cylinders can be transported without damage.
- Sleeving can easily and cheaply be replaced if damaged, saving repainting costs
- Widely used in the licensing trade for protection and noise reduction.
- Diving bottles must be in good condition for testing and surface damage is unacceptable.
- Sleeving offers an economical solution with good protection and is easily replaced when damaged.



## Further Information

---

- Sleeveings are made from polyethylene which is a very flexible and long lasting material unaffected by a wide range of chemicals.
- The basic ranges cover most applications but if special sizes, colors or materials are required please contact us.
- The sleeves can be supplied cut to length which is ideal when a large number of similar sized components need protection. Please contact for a quotation.




# Separator Mesh



Separator meshes are designed to prevent damage to the machined faces of components in transit and storage. Boddingtons Separator mesh is laid between layers of parts, products or components.

The resilient extruded mesh will separate the vulnerable surfaces in stillages and similar containers as parts are moved around the assembly area or between sites.



## Technical Specifications

PRODUCT	SIZE	MATERIAL	THICKNESS	WEIGHT	PART No.
ROLL	2.26' x 82'	LDPE	0.13"	0.18lbs/ft <sup>2</sup>	057740
ROLL	5' x 98.5'	BLOWN HDPE	0.14"	0.1lbs/ft <sup>2</sup>	048878
SHEETS	2.26' x 3.87'	LDPE	0.13"	0.18lbs/ft <sup>2</sup>	037940

## PREMIUM

COLOUR	TO FIT DIAMETER	UNIT OF SUPPLY	PART No.
RED	0.25 - 0.5"	164'	058341
BLACK	0.5 - 1"	164'	058358
ORANGE	1 - 1.6"	82'	058365
BROWN	1.6 - 2"	82'	058372
WHITE	2 - 2.6"	82'	058389
GREY	2.6 - 3.2"	82'	058396
YELLOW	3.2 - 3.9"	82'	058402
LIGHT BLUE	3.9 - 4.9"	82'	058419
GREEN	4.9 - 6.3"	82'	058426
STRAW	6.3 - 7.5"	82'	058433
ROYAL BLUE	7.5 - 8.9"	82'	058440

## STANDARD

COLOUR	TO FIT DIAMETER	UNIT OF SUPPLY	PART No.
ORANGE	0.25 - 0.7"	820'	058457
BLACK	0.4 - 1"	820'	058464
VIOLET	1 - 2.4"	164'	058471
RED	2 - 3.9"	164'	058488
YELLOW	3.9 - 7.9"	164'	058495
BLUE	7.9 - 15.8"	164'	058501

## LIGHT WEIGHT STRETCH

COLOUR	TO FIT DIAMETER	UNIT OF SUPPLY	PART No.
PINK	0.8 - 1.8"	164'	058518
PURPLE	1.6 - 3.2"	164'	058525
GREEN	3 - 4.9"	82'	058532

## GAS CYLINDERS

COLOUR	TO FIT DIAMETER	UNIT OF SUPPLY	PART No.
VIOLET	7.9 - 15.8"	164'	060412

**BODDINGTONS INC.**  
 2780 Snelling Avenue N.  
 Suite 306 Rosville • MN 55113  
 Tel: 1-651-330-2920  
 Fax: 1-651-797-2319  
 email: info@boddingtons.us

